



10-03-02

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant :	Billy W. Colston et al	Docket No. :	IL-10715
Serial No. :	09/880,515	Art Unit :	1641
Filed :	June 12, 2001	Examiner	M.C. Tran
For :	Portable Pathogen Detection System		

Commissioner for Patents  
Washington, D.C. 20231

EXPRESS MAIL CERTIFICATE

"Express Mail" label number EV003717166US

Date of Deposit 10-2-02

I hereby certify that the following *attached*

1. Amendment (8 pages)  
Attachment I – Version with Markings to show changes made (4 pages)
2. Photocopy of Figure 8 (1 sheet)
3. Return Postcard

is being deposited with the United States Postal Service "Express Mail Post Office to addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box: Non-Fee Amendment, the Commissioner for Patents, Washington, D.C. 20231.

April Masluk

(Type or print name of person mailing paper)

April Masluk

(Signature of person mailing paper or fee)

RECEIVED

OCT 07 2002

TECH CENTER 1600/2900



#9/A  
10-7-02  
in

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant :	Billy W. Colston et al	Docket No. :	IL-10715
Serial No. :	09/880,515	Art Unit :	1641
Filed :	June 12, 2001	Examiner	M.C. Tran
For :	Portable Pathogen Detection System		

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(a)

I hereby certify that the *attached* correspondence comprising:

1. Amendment (8 pages)  
Attachment I – Version with Markings to show changes made (4 pages)
2. Photocopy of Figure 8 (1 sheet)
3. Return Postcard

is being deposited with the United States Postal Service as express mail in an envelope addressed to:

Box: Non Fee Amendment  
Commissioner for Patents  
Washington, D.C. 20231

on 10-2-02

April Masluk

(Type or print name of person mailing paper)

April Masluk

(Signature of person mailing paper)

AMENDMENT

Commissioner for Patents  
Washington, D.C. 20231

Sir:

In response to the Office Action mailed August 8, 2002, kindly amend the above-identified application as follows:

**RECEIVED**

OCT 07 2002

-1-  
TECH CENTER 1600/2900